



Semiconductor Flow Equipment

Process Cooling Water

Process Cooling Water

EGMO Semiconductor Flow Equipment is specially designed to meet the stringent standards of the Semiconductor industry, delivering maximum results.

Maximum Availability

State-of-the-art manufacturing facilities and full marketing, distribution, and support in Europe, the USA, and Asia enables EGMO to supply semiconductor flow equipment of the highest quality standards to meet the customer's demands.

Full Traceability

Each step of our production process is documented and recorded starting from raw materials through finished goods.



About EGMO

EGMO, a member of NEUMO Ehrenberg Group, is a worldwide leader in the manufacturing of high purity, stainless steel products for the Semiconductor, Biopharmaceutical and Food industries. Founded in 1965, EGMO offers its customers decades of experience in innovative development and production of an extensive range of tubes, fittings, valves, vessels and other special components. EGMO is ISO 9001: 2018, CE, ASME & CRN certified and its products also meet the following standards: TUV, 3A, DIN, ISO, CE, SMS, BS (RJT).

NEUMO Ehrenberg Group

The NEUMO Ehrenberg Group, a diversified multinational organization headquartered in Germany, was founded by Senator Henry Ehrenberg in 1947. The know-how, experience, and impressive track record of its companies, NEUMO, HPT and EGMO, have been earned over four decades. Today, the group is a leading manufacturer of worldwide stainless-steel process fittings and components. The Group's worldwide distribution network supports major multinational accounts.



| www.egmo.co.il |

Index

How to order4

ELBOW 90

Hose Barb to Butt Weld Tube6

Rotatable ANSI #150 to Hose Barb7

Rotatable ANSI #150 to Hose Barb with Drain Valve8

ELBOW 45

Hose Barb to Butt Weld Tube9

Rotatable ANSI #150 to Hose Barb9

Rotatable ANSI #150 to Hose Barb with Drain Valve10

TEE

Hose Barb Equal & Reduced TEE11

Hose Barb Non Equal TEE12

Rotatable ANSI #150 to Hose Barb14


ADAPTER

Rotatable ANSI #150 to Hose Barb16

Rotatable ANSI #150 to Hose Barb with Drain Valve17

GF to Hose Barb.....18


GF to Hose Barb EL90.....18



How to order

To specify the part, choose a product line, type of material and then select the code number describing the requested part as shown below:


Fittings PCW Line



Product Line	Fitting size	Fitting type	Inlet size	Inlet Connection type	Branch size
EPW Egmo Process Water	04 = 1/4"	E9 ELBOW 90	04 = 1/4"	R 150# ANSI Rotatable Flanges	04 = 1/4"
	06 = 3/8"	E4 ELBOW 45	06 = 3/8"	H Hose Barb	06 = 3/8"
	08 = 1/2"	TE TEE	08 = 1/2"	B Buttweld Tube	08 = 1/2"
	12 = 3/4"	SA Straight adapter	12 = 3/4"	G G/F Adapter	12 = 3/4"
	16 = 1.0"	MA Manifold	16 = 1.0"		16 = 1.0"
	24 = 1.5"		24 = 1.5"		24 = 1.5"
	32 = 2.0"		32 = 2.0"		32 = 2.0"
	40 = 2.5"		40 = 2.5"		40 = 2.5"
	48 = 3.0"		48 = 3.0"		48 = 3.0"

Run Connection type	Run size	Branch connection type	Vent/ Drain Line
R 150# ANSI Rotatable Flanges	04 = 1/4"	R 150# ANSI Rotatable Flanges	DV W/O Drain/Vent Valve
H Hose Barb	06 = 3/8"	H Hose Barb	
B Buttweld Tube	08 = 1/2"	B Buttweld Tube	
G G/F Adapter	12 = 3/4"	G G/F Adapter	
	16 = 1.0"		
	24 = 1.5"		
	32 = 2.0"		
	40 = 2.5"		
	48 = 3.0"		

Manifold




Note: Special spools upon request

Product specifications


Description	Standards / Values
Application	Process cooling water
Sizes	3/8" - 2.0"
Dimensions Tolerance	± 0.20"
Material	Stainless steel 304/ 304L/ 316L
Pressure rated	150 psi/ 10 Bar
CFOS (Clen For Oxygen Services) cleaning	CGA G-4.1
Helium Leak Test for Welded Fittings	1x10 ⁻⁷ scc/sec
Packing environment	ISO 6 (class 1000) cleanroom
Packing & Capping	Fittings bagged in nylon sleeve and capped with plastic caps
Marking & Labeling	All products marked as follows: • Brand name • Job number • Material grade • Dimensions • Heat number
Documentation / Certification	Inspection documents certification to be according to EN10204 3.1
Visual Inspection	Internal procedure
Hose Barb fittings up to 1"	Parker Pushlok 82 Series fitting
Hose Barb fittings above 1"	DIXON RSTB Series fitting
Drain Valve	½" Parker 2 way B Series ball valve model 8A-B8LJ-SSP-C3

ELBOW 90



Hose Barb to Butt Weld Tube

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
883-00001	EPW-E9-16R-24H	1.0"	1.5"	3.03"	7.36"
883-00002	EPW-E9-16R-16H	1.0"	1.0"	3.07"	4.60"
883-00003	EPW-E9-16R-12H	1.0"	0.75"	3.09"	5.23"



ELBOW 90

Rotatable ANSI #150 to Hose Barb

1.0"


Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
884-00001	EPW-E9-16R-06H	1.0"	0.375"	4.80"	3.44"
884-00002	EPW-E9-16R-08H	1.0"	0.50"	4.31"	2.92"
884-00003	EPW-E9-16R-12H	1.0"	0.75"	4.61"	3.76"
884-00004	EPW-E9-16R-16H	1.0"	1.0"	4.87"	4.63"
884-00005	EPW-E9-16R-24H	1.0"	1.5"	5.87"	5.69"
884-00006	EPW-E9-16R-32H	1.0"	2.0"	7.31"	6.68"

1.5"


Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
884-00007	EPW-E9-24R-06H	1.5"	0.375"	5.27"	3.44"
884-00008	EPW-E9-24R-08H	1.5"	0.50"	4.66"	2.92"
884-00009	EPW-E9-24R-12H	1.5"	0.75"	5.08"	3.76"
884-00010	EPW-E9-24R-16H	1.5"	1.0"	5.35"	4.63"
884-00011	EPW-E9-24R-24H	1.5"	1.5"	5.80"	5.69"
884-00012	EPW-E9-24R-32H	1.5"	2.0"	6.87"	6.68"

2.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
884-00013	EPW-E9-32R-06H	2.0"	0.375"	6.02"	3.44"
884-00014	EPW-E9-32R-08H	2.0"	0.50"	5.17"	2.92"
884-00015	EPW-E9-32R-12H	2.0"	0.75"	5.44"	3.76"
884-00016	EPW-E9-32R-16H	2.0"	1.0"	5.35"	4.63"
884-00017	EPW-E9-32R-24H	2.0"	1.5"	6.19"	5.69"
884-00018	EPW-E9-32R-32H	2.0"	2.0"	7.31"	6.68"



ELBOW 90



Rotatable ANSI #150 to Hose Barb with Drain Valve

1.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
886-00001	EPW-E9-16R-06H-DV	1.0"	0.375"	4.80"	3.44"
886-00002	EPW-E9-16R-08H-DV	1.0"	0.50"	4.31"	2.92"
886-00003	EPW-E9-16R-12H-DV	1.0"	0.75"	4.61"	3.76"
886-00004	EPW-E9-16R-16H-DV	1.0"	1.0"	4.87"	4.63"
886-00005	EPW-E9-16R-24H-DV	1.0"	1.5"	5.87"	5.69"
886-00006	EPW-E9-16R-32H-DV	1.0"	2.0"	7.31"	6.68"

1.5"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
886-00007	EPW-E9-24R-06H-DV	1.5"	0.375"	5.27"	3.44"
886-00008	EPW-E9-24R-08H-DV	1.5"	0.50"	4.66"	2.92"
886-00009	EPW-E9-24R-12H-DV	1.5"	0.75"	5.08"	3.76"
886-00010	EPW-E9-24R-16H-DV	1.5"	1.0"	5.35"	4.63"
886-00011	EPW-E9-24R-24H-DV	1.5"	1.5"	5.80"	5.69"
886-00012	EPW-E9-24R-32H-DV	1.5"	2.0"	6.87"	6.68"


2.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
886-00013	EPW-E9-32R-06H-DV	2.0"	0.375"	6.02"	3.44"
886-00014	EPW-E9-32R-08H-DV	2.0"	0.50"	5.17"	2.92"
886-00015	EPW-E9-32R-12H-DV	2.0"	0.75"	5.44"	3.76"
886-00016	EPW-E9-32R-16H-DV	2.0"	1.0"	5.35"	4.63"
886-00017	EPW-E9-32R-24H-DV	2.0"	1.5"	6.19"	5.69"
886-00018	EPW-E9-32R-32H-DV	2.0"	2.0"	7.31"	6.68"

ELBOW 45

Hose Barb to Butt Weld Tube


Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
895-00001	EPW-E4-16R-24H	1.0"	1.5"	1.63"	7.67"
895-00002	EPW-E4-16R-16H	1.0"	1.0"	1.63"	5.38"
895-00003	EPW-E4-16R-12H	1.0"	0.75"	1.63"	5.89"



Rotatable ANSI #150 to Hose Barb

1.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
896-00001	EPW-E4-16R-06H	1.0"	0.375"	5.80"	1.59"
896-00002	EPW-E4-16R-08H	1.0"	0.50"	5.37"	1.75"
895-00003	EPW-E4-16R-12H	1.0"	0.75"	5.77"	2.19"
895-00002	EPW-E4-16R-16H	1.0"	1.0"	6.15"	2.65"
895-00001	EPW-E4-16R-24H	1.0"	1.5"	6.89"	3.09"
896-00006	EPW-E4-16R-32H	1.0"	2.0"	8.05"	3.49"




1.5"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
896-00007	EPW-E4-24R-06H	1.5"	0.375"	6.27"	1.59"
896-00008	EPW-E4-24R-08H	1.5"	0.50"	5.72"	1.75"
896-00009	EPW-E4-24R-12H	1.5"	0.75"	6.24"	2.19"
896-00010	EPW-E4-24R-16H	1.5"	1.0"	6.62"	2.65"
896-00011	EPW-E4-24R-24H	1.5"	1.5"	6.81"	3.09"
896-00012	EPW-E4-24R-32H	1.5"	2.0"	7.61"	3.49"

2.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
896-00013	EPW-E4-32R-06H	2.0"	0.375"	6.43"	1.59"
896-00014	EPW-E4-32R-08H	2.0"	0.50"	6.23"	1.75"
896-00015	EPW-E4-32R-12H	2.0"	0.75"	6.60"	2.19"
896-00016	EPW-E4-32R-16H	2.0"	1.0"	7.21"	2.65"
896-00017	EPW-E4-32R-24H	2.0"	1.5"	7.80"	3.09"
896-00018	EPW-E4-32R-32H	2.0"	2.0"	8.03"	3.49"

ELBOW 45



Rotatable ANSI #150 to Hose Barb with Drain Valve

1.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
897-00001	EPW-E4-16R-06H-DV	1.0"	0.375"	5.80"	1.59"
897-00002	EPW-E4-16R-08H-DV	1.0"	0.50"	5.37"	1.75"
897-00003	EPW-E4-16R-12H-DV	1.0"	0.75"	5.77"	2.19"
897-00004	EPW-E4-16R-16H-DV	1.0"	1.0"	6.15"	2.65"
897-00005	EPW-E4-16R-24H-DV	1.0"	1.5"	6.89"	3.09"
897-00006	EPW-E4-16R-32H-DV	1.0"	2.0"	8.05"	3.49"

1.5"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
897-00007	EPW-E4-24R-06H-DV	1.5"	0.375"	6.27"	1.59"
897-00008	EPW-E4-24R-08H-DV	1.5"	0.50"	5.72"	1.75"
897-00009	EPW-E4-24R-12H-DV	1.5"	0.75"	6.24"	2.19"
897-00010	EPW-E4-24R-16H-DV	1.5"	1.0"	6.62"	2.65"
897-00011	EPW-E4-24R-24H-DV	1.5"	1.5"	6.81"	3.09"
897-00012	EPW-E4-24R-32H-DV	1.5"	2.0"	7.61"	3.49"


2.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
897-00013	EPW-E4-32R-06H-DV	2.0"	0.375"	6.43"	1.59"
897-00014	EPW-E4-32R-08H-DV	2.0"	0.50"	6.23"	1.75"
897-00015	EPW-E4-32R-12H-DV	2.0"	0.75"	6.60"	2.19"
897-00016	EPW-E4-32R-16H-DV	2.0"	1.0"	7.21"	2.65"
897-00017	EPW-E4-32R-24H-DV	2.0"	1.5"	7.80"	3.09"
897-00018	EPW-E4-32R-32H-DV	2.0"	2.0"	8.03"	3.49"


TEE

Hose Barb Equal & Reduced TEE

Part number	Ordering Code	Inlet & Run size [X]	Branch Size [Y]	A	B
898-00001	EPW-TE-06H-06H	0.375"	0.375"	7.99"	2.76"
898-00002	EPW-TE-08H-06H	0.50"	0.375"	8.08"	2.76"
898-00003	EPW-TE-08H-08H	0.50"	0.50"	5.83"	2.92"
898-00004	EPW-TE-12H-06H	0.75"	0.375"	9.28"	2.83"
898-00005	EPW-TE-12H-08H	0.75"	0.50"	9.28"	2.8"
898-00006	EPW-TE-12H-12H	0.75"	0.75"	7.26"	3.64"
898-00007	EPW-TE-16H-08H	1.0"	0.50"	10.52"	2.95"
898-00008	EPW-TE-16H-12H	1.0"	0.75"	10.03"	4.77"
898-00009	EPW-TE-16H-16H	1.0"	1.0"	10.03"	5.02"
898-00010	EPW-TE-24H-08H	1.5"	0.50"	11.62"	3.19"
898-00011	EPW-TE-24H-12H	1.5"	0.75"	11.37"	4.89"
898-00012	EPW-TE-24H-16H	1.5"	1.0"	11.37"	5.51"
898-00013	EPW-TE-24H-24H	1.5"	1.5"	11.37"	5.69"
898-00014	EPW-TE-32H-08H	2.0"	0.50"	13.12"	4.79"
898-00015	EPW-TE-32H-12H	2.0"	0.75"	13.12"	5.26"
898-00016	EPW-TE-32H-16H	2.0"	1.0"	13.37"	5.51"
898-00017	EPW-TE-32H-24H	2.0"	1.5"	13.37"	5.81"
898-00018	EPW-TE-32H-32H	2.0"	2.0"	13.37"	6.68"



TEE




Hose Barb Non Equal TEE

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	Run Size [Z]	A	B
899-00001	EPW-TE-08H-08H-06H	0.5"	0.375"	0.375"	10.04"	2.76"
899-00002	EPW-TE-08H-06H-06H	0.5"	0.5"	0.375"	7.78"	2.92"
899-00003	EPW-TE-12H-06H-06H	0.75"	0.375"	0.375"	10.76"	2.83"
899-00005	EPW-TE-12H-08H-06H	0.75"	0.5"	0.375"	10.76"	2.80"
899-00006	EPW-TE-12H-08H-08H	0.75"	0.5"	0.5"	10.68"	2.80"
899-00008	EPW-TE-12H-12H-08H	0.75"	0.75"	0.5"	8.67"	3.64"
899-00012	EPW-TE-16H-08H-06H	1.0"	0.5"	0.375"	11.76"	2.95"
899-00013	EPW-TE-16H-08H-08H	1.0"	0.5"	0.5"	10.93"	2.95"
899-00014	EPW-TE-16H-08H-12H	1.0"	0.5"	0.75"	11.40"	2.95"
899-00015	EPW-TE-16H-12H-06H	1.0"	0.75"	0.375"	11.26"	4.77"
899-00016	EPW-TE-16H-12H-08H	1.0"	0.75"	0.5"	10.44"	4.77"
899-00017	EPW-TE-16H-12H-12H	1.0"	0.75"	0.75"	10.91"	4.77"
899-00018	EPW-TE-16H-16H-06H	1.0"	1.0"	0.375"	11.26"	5.02"
899-00019	EPW-TE-16H-16H-08H	1.0"	1.0"	0.5"	10.44"	5.02"
899-00020	EPW-TE-16H-16H-12H	1.0"	1.0"	0.75"	10.91"	5.02"
899-00026	EPW-TE-24H-08H-08H	1.5"	0.5"	0.5"	12.60"	3.19"
899-00027	EPW-TE-24H-08H-12H	1.5"	0.5"	0.75"	12.21"	3.19"
899-00028	EPW-TE-24H-08H-16H	1.5"	0.5"	1.0"	13.70"	3.19"
899-00029	EPW-TE-24H-12H-06H	1.5"	0.75"	0.375"	12.43"	3.66"
899-00030	EPW-TE-24H-12H-08H	1.5"	0.75"	0.5"	12.35"	3.66"
899-00031	EPW-TE-24H-12H-12H	1.5"	0.75"	0.75"	11.95"	3.66"
899-00032	EPW-TE-24H-12H-16H	1.5"	0.75"	1.0"	13.45"	3.66"
899-00034	EPW-TE-24H-16H-08H	1.5"	1.0"	0.5"	12.35"	5.51"
899-00035	EPW-TE-24H-16H-12H	1.5"	1.0"	0.75"	11.95"	5.51"
899-00036	EPW-TE-24H-16H-16H	1.5"	1.0"	1.0"	13.45"	5.51"
899-00037	EPW-TE-24H-24H-08H	1.5"	1.5"	0.5"	12.35"	5.69"
899-00039	EPW-TE-24H-24H-12H	1.5"	1.5"	0.75"	11.95"	5.69"
899-00040	EPW-TE-24H-24H-16H	1.5"	1.5"	1.0"	13.45"	5.69"


TEE

Hose Barb Non Equal TEE

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	Run Size [Z]	A	B
899-00047	EPW-TE-32H-08H-08H	2.0"	0.5"	0.5"	14.35"	4.79"
899-00048	EPW-TE-32H-08H-12H	2.0"	0.5"	0.75"	14.82"	4.79"
899-00049	EPW-TE-32H-08H-16H	2.0"	0.5"	1.0"	14.95"	4.79"
899-00050	EPW-TE-32H-08H-24H	2.0"	0.5"	1.5"	15.25"	4.79"
899-00052	EPW-TE-32H-12H-08H	2.0"	0.75"	0.5"	14.35"	5.26"
899-00053	EPW-TE-32H-12H-12H	2.0"	0.75"	0.75"	14.82"	5.26"
899-00054	EPW-TE-32H-12H-16H	2.0"	0.75"	1.0"	14.95"	5.26"
899-00055	EPW-TE-32H-12H-24H	2.0"	0.75"	1.5"	15.25"	5.26"
899-00057	EPW-TE-32H-16H-08H	2.0"	1.0"	0.5"	14.60"	5.51"
899-00058	EPW-TE-32H-16H-12H	2.0"	1.0"	0.75"	15.07"	5.51"
899-00059	EPW-TE-32H-16H-16H	2.0"	1.0"	1.0"	15.20"	5.51"
899-00060	EPW-TE-32H-16H-24H	2.0"	1.0"	1.5"	15.50"	5.51"
899-00062	EPW-TE-32H-24H-08H	2.0"	1.5"	0.5"	14.60"	5.81"
899-00063	EPW-TE-32H-24H-12H	2.0"	1.5"	0.75"	15.07"	5.81"
899-00064	EPW-TE-32H-24H-16H	2.0"	1.5"	1.0"	15.20"	5.81"
899-00065	EPW-TE-32H-24H-24H	2.0"	1.5"	1.5"	15.50"	5.81"
899-00067	EPW-TE-32H-32H-08H	2.0"	2.0"	0.5"	14.60"	6.68"
899-00068	EPW-TE-32H-32H-12H	2.0"	2.0"	0.75"	15.07"	6.68"
899-00069	EPW-TE-32H-32H-16H	2.0"	2.0"	1.0"	15.20"	6.68"
899-00070	EPW-TE-32H-32H-24H	2.0"	2.0"	1.5"	15.50"	6.68"



TEE




Rotatable ANSI #150 to Hose Barb

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
843-00001	EPW-16TE-06H-06H-16R	0.375"	0.375"	9.13"	3.86"
843-00002	EPW-16TE-08H-06H-16R	0.5"	0.375"	9.10"	3.86"
843-00003	EPW-16TE-08H-08H-16R	0.5"	0.5"	9.06"	3.86"
843-00004	EPW-16TE-12H-06H-16R	0.75"	0.375"	10.36"	3.86"
843-00005	EPW-16TE-12H-08H-16R	0.75"	0.5"	9.53"	3.86"
843-00006	EPW-16TE-12H-12H-16R	0.75"	0.75"	10.00"	3.86"
843-00007	EPW-16TE-16H-06H-16R	1.0"	0.375"	9.47"	3.86"
843-00008	EPW-16TE-16H-08H-16R	1.0"	0.5"	8.65"	3.86"
843-00009	EPW-16TE-16H-12H-16R	1.0"	0.75"	9.12"	3.86"
843-00010	EPW-16TE-16H-16H-16R	1.0"	1.0"	8.24"	3.86"
843-00011	EPW-24TE-24H-06H-16R	1.5"	0.375"	12.43"	5.13"
843-00012	EPW-24TE-24H-08H-16R	1.5"	0.5"	12.35"	5.13"
843-00013	EPW-24TE-24H-12H-16R	1.5"	0.75"	11.95"	5.13"
843-00014	EPW-24TE-24H-16H-16R	1.5"	1.0"	13.45"	5.13"
843-00015	EPW-32TE-24H-24H-16R	1.5"	1.5"	17.63"	6.31"
843-00016	EPW-32TE-32H-06H-16R	2.0"	0.375"	14.68"	6.31"
843-00017	EPW-32TE-32H-08H-16R	2.0"	0.5"	14.60"	6.31"
843-00018	EPW-32TE-32H-12H-16R	2.0"	0.75"	15.07"	6.31"
843-00019	EPW-32TE-32H-16H-16R	2.0"	1.0"	15.20"	6.31"
843-00020	EPW-32TE-32H-24H-16R	2.0"	1.5"	15.50"	6.31"
843-00021	EPW-32TE-32H-32H-16R	2.0"	2.0"	13.37"	6.31"
843-00022	EPW-16TE-06H-06H-24R	0.375"	0.375"	9.13"	3.98"
843-00023	EPW-16TE-08H-06H-24R	0.5"	0.375"	9.10"	3.98"
843-00024	EPW-16TE-08H-08H-24R	0.5"	0.5"	9.06"	3.98"
843-00025	EPW-16TE-12H-06H-24R	0.75"	0.375"	10.36"	3.98"
843-00026	EPW-16TE-12H-08H-24R	0.75"	0.5"	9.53"	3.98"
843-00027	EPW-16TE-12H-12H-24R	0.75"	0.75"	10.00"	3.98"
843-00028	EPW-16TE-16H-06H-24R	1.0"	0.375"	9.47"	3.98"
843-00029	EPW-16TE-16H-08H-24R	1.0"	0.5"	8.65"	3.98"
843-00030	EPW-16TE-16H-12H-24R	1.0"	0.75"	9.12"	3.98"
843-00031	EPW-16TE-16H-16H-24R	1.0"	1.0"	8.24"	3.98"
843-00032	EPW-32TE-24H-06H-24R	1.5"	0.375"	16.81"	4.94"
843-00033	EPW-32TE-24H-08H-24R	1.5"	0.5"	16.73"	4.94"
843-00034	EPW-32TE-24H-12H-24R	1.5"	0.75"	17.20"	4.94"
843-00035	EPW-32TE-24H-16H-24R	1.5"	1.0"	17.33"	4.94"
843-00036	EPW-32TE-24H-24H-24R	1.5"	1.5"	17.63"	4.94"
843-00037	EPW-32TE-32H-06H-24R	2.0"	0.375"	14.68"	4.94"
843-00038	EPW-32TE-32H-08H-24R	2.0"	0.5"	14.60"	4.94"
843-00039	EPW-32TE-32H-12H-24R	2.0"	0.75"	15.07"	4.94"
843-00040	EPW-32TE-32H-16H-24R	2.0"	1.0"	15.20"	4.94"
843-00041	EPW-32TE-32H-24H-24R	2.0"	1.5"	15.50"	4.94"
843-00042	EPW-32TE-32H-32H-24R	2.0"	2.0"	13.37"	4.94"


TEE

Rotatable ANSI #150 to Hose Barb

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
843-00043	EPW-16TE-06H-06H-32R	0.375"	0.375"	9.13"	4.33"
843-00044	EPW-16TE-08H-06H-32R	0.5"	0.375"	9.10"	4.33"
843-00045	EPW-24TE-08H-08H-32R	0.5"	0.5"	13.33"	5.44"
843-00046	EPW-24TE-12H-06H-32R	0.75"	0.375"	13.01"	5.44"
843-00047	EPW-24TE-12H-08H-32R	0.75"	0.5"	12.93"	5.44"
843-00048	EPW-24TE-12H-12H-32R	0.75"	0.75"	12.54"	5.44"
843-00049	EPW-24TE-16H-06H-32R	1.0"	0.375"	14.51"	5.44"
843-00050	EPW-24TE-16H-08H-32R	1.0"	0.5"	12.69"	5.44"
843-00051	EPW-24TE-16H-12H-32R	1.0"	0.75"	14.03"	5.44"
843-00052	EPW-24TE-16H-16H-32R	1.0"	1.0"	12.24"	5.44"
843-00053	EPW-32TE-24H-06H-32R	1.5"	0.375"	16.81"	6.31"
843-00054	EPW-32TE-24H-08H-32R	1.5"	0.5"	16.73"	6.31"
843-00055	EPW-32TE-24H-12H-32R	1.5"	0.75"	17.20"	6.31"
843-00056	EPW-32TE-24H-16H-32R	1.5"	1.0"	17.33"	6.31"
843-00057	EPW-32TE-24H-24H-32R	1.5"	1.5"	17.63"	6.31"
843-00058	EPW-32TE-32H-06H-32R	2.0"	0.375"	14.68"	6.31"
843-00059	EPW-32TE-32H-08H-32R	2.0"	0.5"	14.60"	6.31"
843-00060	EPW-32TE-32H-12H-32R	2.0"	0.75"	15.07"	6.31"
843-00061	EPW-32TE-32H-16H-32R	2.0"	1.0"	15.20"	6.31"
843-00062	EPW-32TE-32H-24H-32R	2.0"	1.5"	15.50"	6.31"
843-00063	EPW-32TE-32H-32H-32R	2.0"	2.0"	13.37"	6.31"



ADAPTER



Rotatable ANSI #150 to Hose Barb 1.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A
844-00001	EPW-SA-16R-06H	1.0"	0.375"	5.74"
844-00002	EPW-SA-16R-08H	1.0"	0.5"	5.54"
844-00003	EPW-SA-16R-12H	1.0"	0.75"	5.82"
844-00004	EPW-SA-16R-16H	1.0"	1.0"	6.08"
844-00005	EPW-SA-16R-24H	1.0"	1.5"	6.38"
844-00006	EPW-SA-16R-32H	1.0"	2.0"	7.06"

1.5"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A
844-00007	EPW-SA-24R-06H	1.5"	0.375"	6.21"
844-00008	EPW-SA-24R-08H	1.5"	0.5"	5.90"
844-00009	EPW-SA-24R-12H	1.5"	0.75"	6.29"
844-00010	EPW-SA-24R-16H	1.5"	1.0"	6.55"
844-00011	EPW-SA-24R-24H	1.5"	1.5"	6.30"
844-00012	EPW-SA-24R-32H	1.5"	2.0"	6.63"

2.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A
844-00013	EPW-SA-32R-06H	2.0"	0.375"	7.03"
844-00014	EPW-SA-32R-08H	2.0"	0.5"	6.48"
844-00015	EPW-SA-32R-12H	2.0"	0.75"	6.71"
844-00016	EPW-SA-32R-16H	2.0"	1.0"	7.21"
844-00017	EPW-SA-32R-24H	2.0"	1.5"	7.35"
844-00018	EPW-SA-32R-32H	2.0"	2.0"	7.13"

ADAPTER

Rotatable ANSI #150 to Hose Barb with Drain Valve 1.0"


Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A
845-00001	EPW-SA-16R-06H-DV	1.0"	0.375"	5.74"
845-00002	EPW-SA-16R-08H-DV	1.0"	0.5"	5.54"
845-00003	EPW-SA-16R-12H-DV	1.0"	0.75"	5.82"
845-00004	EPW-SA-16R-16H-DV	1.0"	1.0"	6.08"
845-00005	EPW-SA-16R-24H-DV	1.0"	1.5"	6.38"
845-00006	EPW-SA-16R-32H-DV	1.0"	2.0"	7.06"

1.5"


Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A
845-00007	EPW-SA-24R-06H-DV	1.5"	0.375"	6.21"
845-00008	EPW-SA-24R-08H-DV	1.5"	0.5"	5.90"
845-00009	EPW-SA-24R-12H-DV	1.5"	0.75"	6.29"
845-00010	EPW-SA-24R-16H-DV	1.5"	1.0"	6.55"
845-00011	EPW-SA-24R-24H-DV	1.5"	1.5"	6.30"
845-00012	EPW-SA-24R-32H-DV	1.5"	2.0"	6.63"

2.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A
845-00013	EPW-SA-32R-06H-DV	2.0"	0.375"	7.03"
845-00014	EPW-SA-32R-08H-DV	2.0"	0.5"	6.48"
845-00015	EPW-SA-32R-12H-DV	2.0"	0.75"	6.71"
845-00016	EPW-SA-32R-16H-DV	2.0"	1.0"	7.21"
845-00017	EPW-SA-32R-24H-DV	2.0"	1.5"	7.35"
845-00018	EPW-SA-32R-32H-DV	2.0"	2.0"	7.13"



ADAPTER




GF to Hose Barb

0.75"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A
846-00001	EPW-SA-12G-06H	0.75"	0.375"	4.67"
846-00002	EPW-SA-12G-08H	0.75"	0.5"	4.59"
846-00003	EPW-SA-12G-12H	0.75"	0.75"	3.19"
846-00004	EPW-SA-12G-16H	0.75"	1.0"	5.06"
846-00005	EPW-SA-12G-24H	0.75"	1.5"	5.37"
846-00006	EPW-SA-12G-32H	0.75"	2.0"	6.99"

1.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A
846-00007	EPW-SA-16G-06H	1.0"	0.375"	4.92"
846-00008	EPW-SA-16G-08H	1.0"	0.5"	4.10"
846-00009	EPW-SA-16G-12H	1.0"	0.75"	4.57"
846-00010	EPW-SA-16G-16H	1.0"	1.0"	3.69"
846-00011	EPW-SA-16G-24H	1.0"	1.5"	6.37"
846-00012	EPW-SA-16G-32H	1.0"	2.0"	6.61"



GF to Hose Barb EL90

0.75"


Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
887-00001	EPW-E9-12G-06H	0.75"	0.375"	3.65"	5.24"
887-00002	EPW-E9-12G-08H	0.75"	0.5"	3.65"	5.17"
887-00003	EPW-E9-12G-12H	0.75"	0.75"	3.65"	3.76"
887-00004	EPW-E9-12G-16H	0.75"	1.0"	3.65"	5.64"
887-00005	EPW-E9-12G-24H	0.75"	1.5"	3.65"	5.94"
887-00006	EPW-E9-12G-32H	0.75"	2.0"	3.65"	7.56"

1.0"

Part number	Ordering Code	Inlet size [X]	Run Size [Y]	A	B
887-00007	EPW-E9-16G-06H	1.0"	0.375"	4.02"	5.87"
887-00008	EPW-E9-16G-08H	1.0"	0.5"	4.02"	5.05"
887-00009	EPW-E9-16G-12H	1.0"	0.75"	4.02"	5.52"
887-00010	EPW-E9-16G-16H	1.0"	1.0"	4.02"	4.63"
887-00011	EPW-E9-16G-24H	1.0"	1.5"	4.02"	6.32"
887-00012	EPW-E9-16G-32H	1.0"	2.0"	4.02"	7.93"

MTR - Material Test Report

The MTR is the reference document for the entire history of the production processes and the raw materials used to make the component.



The MTR document is easily generated on - line via egmo.co.il using only the job number as input. The job number is the product identification number which represents all processes and raw materials related to the specific item.

ON - LINE MTR

ON - LINE MTR

Please, enter job/certificate number:

CREATE CERTIFICATE >





The MTR format provides the following information:

- Part number, part description and job number
- Material type
- Heat Number per each component describing the fitting and its associated properties:
 - Tube dimensions and standards
 - Chemical composition
 - Mechanical properties
 - Visual, dimensional, corrosion, EDDY current testing, flaring and flattening, PMI Test
- Certificate of Compliance

NEUMO EHRENBERG GROUP

GLOBAL LOCATIONS



NEUMO GmbH+Co. KG (D)

Tel: +49 (0) 7043 36 0
Fax: +49 (0) 7043 36 179
E-Mail: info@neumo.de
www.neumo.de
GERMANY



VNE Corporation

Tel: +1 800 356 1111
+1 608 756 4930
Fax: +1 608 756 3643
E-Mail: stainless@vncorp.com
www.vnestainless.com
U.S.A



EGMO Ltd.

Tel: +972 (0) 4 9855 176
+972 (0) 4 9855 111
Fax: +972 (0) 4 9855 175
E-Mail: salese@egmo.co.il
www.egmo.co.il
ISRAEL



NEUMO-EGMO Spain S.L

Tel: +34 977 524 914
Fax: +34 977 524 898
E-Mail: neumo-es@neumo-es.com
www.neumo-es.com
SPAIN



HPT Inc.

Tel: +845.452.1103
+800.284.4478
E-Mail: sales@hptinc.com
<http://www.hptinc.com/>
U.S.A



Herrli AG

Tel: +41 (0) 31 750 12 11
Fax: +41 (0) 31 750 12 00
E-Mail: info@herrli.net
www.herrli.net
SWITZERLAND



NEUMO Polska Sp. z.o.o

Tel: +48 (0) 46 833 4306
Fax: +48 (0) 46 832 5626
E-Mail: neumo@neumo.pl
POLAND



NEUMO Turkey

Tel: +90 (212) 875 01 41
Fax: +90 (212) 875 23 13
E-Mail: info@neumo.com.tr
www.neumo.com.tr
TURKEY



NEUMO Budapest Kft

Tel: +36 (1) 3174177
+36 (1) 3185982
Fax: +36 (1) 266 8765
E-Mail: neumo@neumo.hu
www.neumo.hu
HUNGARY



NEUMO LLC

Tel: +84 908475382
E-Mail: Minh.Vietnam@neumo.de
www.awh.eu
VIETNAM



NEUMO - VARGUS (Shanghai)

Trading Co., Ltd
Tel: +86 (21) 51688300
Fax: +86 (21) 51688380
E-Mail: info@neumo.com.cn
CHINA



NEUMO UK Ltd.

Tel: +44 (0) 1952 583 999
Fax: +44 (0) 1952 583 958
E-Mail: stainless@neumo.co.uk
www.neumo.co.uk
UNITED KINGDOM



AWH Armaturenwerke (D)

Hötensleben GmbH
Tel: +49 (0) 39405 92 0
Fax: +49 (0) 39405 92 111
E-Mail: info@awh.de
www.awh.de

Damstahl GmbH (D)

Tel: +49 (0) 2173 797 0
Fax: +49 (0) 2173 797 274
E-Mail: ds@damstahl.de
www.damstahl.de

Gebr. Rieger GmbH+Co. KG (D)

Tel: +49 (0) 7361 5702 0
Fax: +49 (0) 7361 5702 51
E-Mail: info@rr-rieger.de
www.rr-rieger.de
GERMANY



NEUMO

Tel: +353 (0)21 4975540
Cel: +353 (0)87 2330469
E-Mail: dosullivan@neumo.de
www.neumo.de/en/
IRELAND



Damstahl a/s Oslo (N)

Tel: +47 5615 1570
Fax: +47 5615 1571
E-Mail: dano@damstahl.com
www.damstahl.no
NORWAY



Damstahl a/s (Denmark)

Tel: +45 (0) 8794 4000
Fax: +45 (0) 8794 4150
E-Mail: ds@damstahl.com
www.damstahl.dk
DENMARK



Damstahl a/b (Sweden)

Tel: +46 87 61 71 00
Fax: +46 87 61 14 05
www.damstahl.se
SWEDEN